quinn emanuel trial lawyers | new york

51 Madison Ayenue, 22nd Floor, New York, New York 10010-1601 | TEL: (212) 849-7000 FAX: (212) 849-7100

WRITER'S DIRECT DIAL NO. (212) 849-7558

Writer's Internet Address kaitlynkerrane@quinnemanuel.com

January 18, 2013

VIA FEDERAL EXPRESS

Regional Freedom of Information Officer U.S. EPA, Region 5 77 West Jackson Boulevard (MI-9J) Chicago, IL 60604-3590

Re: Freedom of Information Act Request

Dear Sir/Madam:

This is a request for records from the United States Environmental Protection Agency (EPA) pursuant to the Freedom of Information Act, 5 U.S.C. § 552 ("FOIA").

We respectfully request that the EPA provide all documents (including but not limited to all permits and certifications) related to the presence of asbestos (including but not limited to asbestos remediation and abatement) for the following locations for the time periods indicated:

- 2003- present: 903 Autumn Lane, Mason, Ohio, 45040-2815
- 2003-2004: 4933 Provident Drive, Cincinnati, Ohio, 45246 (Cae Ransohoff Inc.)

This request covers any document, irrespective of date, that pertains to the presence of asbestos at the above locations at any point. It includes, but is not limited to, any document referring or alluding in any way to asbestos or the potential for asbestos at the locations listed above. We request that the EPA provide all documents relating to asbestos-containing products, asbestos testing, abatement, or remediation, any asbestos management plan proposed or initiated (whether or not conforming to EPA guidelines), national Emissions Standards for Hazardous Air

quinn emanuel urquhart & sullivan. Un

LOS ANGELES | 865 South Figueroa Street, 10th Floor, Los Angeles. California 90017-2543 | TEL (213) 443-3000 FAX (213) 443-3100 SAN FRANCISCO | 50 California Street, 22nd Floor, San Francisco, California 94111-4788 | TEL (415) 875-6600 FAX (415) 875-6700 SILICON VALLEY | 555 Twin Dolphin Drive, 5th Floor, Redwood Shores, California 94065-2139 | TEL (650) 801-5000 FAX (650) 801-5100 CHICAGO | 500 W. Madison Street, Suite 2450. Chicago, Illinois 60661-2510 | TEL (312) 705-7400 FAX (312) 705-7401 WASHINGTON, DC | 1299 Pennsylvania Avenue NW, Suite 825, Washington, District of Columbia 20004-2400 | TEL (202) 538-8000 FAX (202) 538-8100 LONDON | 16 Old Bailey, London EC4M 7EG. United Kingdom | TEL +44 20 7653 2000 FAX +44 20 7653 2100 TOKYO | NBF Hibiya Building, 25F, 1-1-7, Uchisaiwai-cho, Chiyoda-ku, Tokyo 100-0011, Japan | TEL +81 3 5510 1711 FAX +81 3 5510 1712 MANNHEIM | Mollstraße 42, 68165 Mannheim, Germany | TEL +49 621 43298 6000 FAX +49 621 43298 6100 MOSCOW | Paveletskaya Plaza, Paveletskaya Square, 2/3, 115054 Moscow, Russia | TEL +7 499 277 1000 FAX +7 499 277 1001 HAMBURG | An der Alster 3, 20099 Hamburg, Germany | TEL +49 40 89728 7000 FAX +49 40 89728 7100

Regional Freedom of Information Officer January 18, 2013 Page 2

Pollutants (or state equivalent) records, Asbestos Hazard Emergency Response Act (or state equivalent) records, and/or anything else related to asbestos at the locations listed above.

For the purposes of this request, the term "document" includes any kind of written, typewritten, or printed material and shall include, without limitation, notes, internal or external memoranda, letters, electronic mail, log entries, reports, telegrams, spreadsheets, databases, calendar entries, records, drafts, working papers, publications, or hard discs and printouts within EPA's possession, custody or control. This request includes all responsive documents in their entirety, including each attachment, enclosure, and exhibit.

The requester is a commercial user for fee purposes. Please provide me with a fee estimate for this FOIA request. If you determine that some portions of any of the requested documents are exempt from disclosure, or require redaction, please explain the reason for the exemption or redaction.

Should you have any questions, please do not hesitate to contact me at (212) 849-7558. Thank you for your attention in this matter.

Very truly yours,

Kaitlyn Kerrane Law Clerk